

Type	Hits	Search Text	DBs	Time Stamp
BRS	4187	(702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	9295	(714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1027	gate adj comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	187	(gate adj comparator) and test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	160	((gate adj comparator) and test) and circuit\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	130	((((gate adj comparator) and test) and circuit\$2) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	41	(((((gate adj comparator) and test) and circuit\$2) and data) and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	41	((((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	26	((((((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and time) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	5075	error adj flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	3842	(error adj flag) and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1821	((error adj flag) and circuit) and (channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1801	((((error adj flag) and circuit) and (channel)) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1708	(((((error adj flag) and circuit) and (channel)) and data) and reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1572	((((((error adj flag) and circuit) and (channel)) and data) and reference) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1383	(324/512 or 324/521 or 324/528 or 324/555).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	23	(345/616 or 345/813).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	471	(340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) and (gate adj comparator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	14	((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) and (error adj flag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) and (error adj flag)) and ((gate adj comparator) and test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	(gate adj comparator) and ((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(gate adj comparator) and ((324/512 or 324/521 or 324/528 or 324/555).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(gate adj comparator) and ((345/616 or 345/813).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	(error adj flag) and ((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(error adj flag) and "1324"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(gate adj comparator) and "1345"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(gate adj comparator) and ((345/616 or 345/813).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	63	((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) and test	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	50	((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) and test) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	25	((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) and test) and data) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	215	(test and measurement) adj instrument	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	2	((test and measurement) adj instrument) and (predetermined adj parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(((((test and measurement) adj instrument) and (predetermined adj parameter\$1)) and display) and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	22	((((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) and test) and data) and user) and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((((((((test and measurement) adj instrument) and (predetermined adj parameter\$1)) and display) and (wave adj form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	15296	((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	362	((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.) and (test adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03

Type	Hits	Search Text	DBs	Time Stamp
BRS	323	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	20	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal) and (reference same waveform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal) and (reference same waveform)) and (user same alert)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	10	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal) and (reference same waveform)) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	677	((test adj measurement)same instrument	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	362	((test adj measurement)same instrument) and parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	7	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal) and (reference same waveform)) and user) and error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	336	((test adj measurement)same instrument) and parameters) and reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	99	((test adj measurement)same instrument) and parameters) and reference) and compare	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	97	((test adj measurement)same instrument) and parameters) and reference) and compare) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	44	((test adj measurement)same instrument) and parameters) and reference) and compare) and time) and wave\$orm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	27	((test adj measurement)same instrument) and parameters) and reference) and compare) and time) and wave\$orm) and (real adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	25	((test adj measurement)same instrument) and parameters) and reference) and compare) and time) and wave\$orm) and (real adj time)) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
IS&R	2	("5371851").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (reference adj memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (first adj reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (first same reference)) and (reference adj wave\$orm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and compare	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1E+05	reference adj signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	454	(reference adj signal) and violation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((reference adj signal) and violation) and (comparing adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (gate adj width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (gate same width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	((("5371851").PN.) and (gate same size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	8246	gate adj width	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	84	(gate adj width) and (gate adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
IS&R	2	("5371851").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	13439	((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1027	gate adj comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	8	(gate adj comparator) and ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03

Type	Hits	Search Text	DBs	Time Stamp
BRS	0	((gate adj comparator) and (((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.))) and (long adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1027	GATE adj comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	0	(GATE adj comparator) and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	90	(GATE adj comparator) and soft\$ware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	26	(((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and time) and user) and reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and time) and user) and reference) and (violation same predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and time) and user) and reference) and (error same predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	8	(((((error adj flag) and circuit) and (channel)) and data) and reference) and memory) and (reference adj waveform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((test and measurement) adj instrument) and (predetermined adj parameter\$1)) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	2	(((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) and test) and data) and user) and circuit) and violation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	4	((((((340/3.42 or 340/3.43 or 340/3.44 or 340/292).ccls.) or ((324/512 or 324/521 or 324/528 or 324/555).ccls.) or ((345/616 or 345/813).ccls.) or ((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)) and (test adj circuit)) and signal) and (reference same waveform)) and user) and error) and fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	11	((((((test adj measurement)same instrument) and parameters) and reference) and compare) and time) and wave\$form) and (real adj time)) and user) and violat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (reference same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (first same reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (first same reference)) and (reference same wave\$form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (first same reference)) and (reference same compare)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (compare same reference\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	3	((reference adj signal) and violation) and (comparing adj circuit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and repeat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (gate and width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	6	((gate adj width) and (gate adj position)) and tolerance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and gate\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((("5371851").PN.) and (waveform same compare)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	(((((gate adj comparator) and test) and circuit\$2) and data) and waveform) and (((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1	((gate adj comparator) and (((702/66-71 or 702/75-76 or 702/79 or 702/117 or 702/120-121 or 702/123-126 or 702/183 or 702/189 or 702/for.103 or 702/for.107-for.108 or 702/for.110 or 702/for.134 or 702/for.170-for.171).ccls.) or ((714/6 or 714/16 or 714/38 or 714/45 or 714/48-49 or 714/52-55 or 714/57 or 714/100 or 714/699 or 714/701 or 714/703-706 or 714/723 or 714/732 or 714/746 or 714/751-752 or 714/758 or 714/798 or 714/799 or 714/for.297).ccls.))) and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	1027	gate adj comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	2	((gate adj comparator) and (reference adj memories)) and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03
BRS	4	(gate adj comparator) and (reference adj memories)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	11/26/03